



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/005,208

12/04/2001

Michael Becker

6470

5597

50811 7590 05/13/2009
O'Shea Getz P.C.
1500 MAIN ST. SUITE 912
SPRINGFIELD, MA 01115

EXAMINER

NGUYEN, KHAI MINH

ART UNIT

PAPER NUMBER

2617

MAIL DATE

DELIVERY MODE

05/13/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)	
	10/005,208	BECKER ET AL.	
	Examiner	Art Unit	
	KHAI M. NGUYEN	2617	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 23 February 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1, 5-8, 12 and 16-21 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1, 5-8, 12, and 16-21 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|--|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)
2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948)
3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____. | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
5) <input type="checkbox"/> Notice of Informal Patent Application
6) <input type="checkbox"/> Other: _____. |
|---|--|

DETAILED ACTION

Response to Arguments

1. Applicant's arguments with respect to claims 1, 5-8, 12, and 16-21 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 5-8, 12, and 16-21 are rejected under 35 U.S.C. 103(a) as being obvious over Background of the invention (U.S.Pub-20020098854), in view of Colson et al. (U.S.Pat-6708217), and further in view of Bridgelall et al. (U.S.Pub-20080167069).

Regarding claim 1, Background of the invention teaches a motor vehicle Media Oriented System Transport data communication network, comprising:

a ring bus ([0002] ring structure),

a plurality of multimedia units connected to the ring bus ([0002] **a ring structure that communicably links several units that serve as data sources or data sinks.** Such network devices include units such as for example, a radio receiver, a television receiver, a monitor, a CD player, a CD changer, a DVD player, a DVD changer, a cassette recorder, active loudspeakers, a navigation system, a car telephone, a wireless telephone, and operating and control units, among others); and

a wireless transceiver connected to the ring bus, where the wireless transceiver receives outgoing data from the ring bus and transforms the outgoing data to a wireless data format and transmits the transformed data, and receives incoming data and transforms the incoming data and provides transformed incoming data indicative thereof to the ring bus ([0001]-[0002]), where the incoming data ([0002]) is formatted as Bluetooth data (not show).

Background of the invention fails to specifically disclose a wireless transceiver connected to the ring bus, where the wireless transceiver receives outgoing data from the ring bus and transforms the outgoing data to a wireless data format and transmits the transformed data, and receives incoming data and transforms the incoming data.

However, Colson teaches a wireless transceiver (fig.2, item 220) connected to said ring bus (fig.2, items 204, 201, 202, 203 connected to item 220), wherein said wireless transceiver receives outgoing data from said ring bus (fig.2), and transforms said outgoing data to a wireless data format (col.7, lines 33-41) and transmits the transformed data (col.7, lines 33-41), and receives incoming data (col.7, line 41 to col.8, line 14).

Therefore, It would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the teaching of Colson to Background of the invention to provides a technique for effectively demultiplexing multi-modal document content, each capable of handling a different media type.

Background of the invention and Colson fail to specifically disclose formatted as Bluetooth data.

However, Bridgelall teaches formatted as Bluetooth data ([0029]).

Therefore, It would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the teaching of Bridgelall to Background of the invention and Colson to improve the transmission data in communication wireless system.

Regarding claim 5, Background of the invention, Colson, and Bridgelall further teach the Media Oriented System Transport data communication network of claim 2, where the plurality of multimedia units includes a DVD player (see Background of the invention, fig.1, 4, col.7, lines 24-38).

Regarding claim 6, Background of the invention, Colson, and Bridgelall further teach the Media Oriented System Transport data communication network of claim 2, where the plurality of multimedia units includes an audio player (see Background of the invention, fig.1, 4, col.7, lines 24-38).

Regarding claim 7, Background of the invention, Colson, and Bridgelall further teach the Media Oriented System Transport data communication network of claim 2, where the plurality of multimedia units includes a navigation system (see Background of the invention, fig.1, 4, col.7, lines 24-38).

Regarding claim 8, Background of the invention teaches a method of communicating over a communication channel between a motor vehicle Media Oriented System Transport network having a transceiver and a device ([0001]-[0002]), comprising:

receiving outgoing data at the wireless transceiver in a first data format compatible with the network and transforming the outgoing data to a second data format compatible with the wireless communication channel (not show) and providing a transformed output signal indicative thereof ([0001]-[0002]); transmitting the transformed output signal over the wireless communication standard ([0001]); and receiving incoming data at the wireless transceiver in the second data format and transforming the incoming data to the first data format (not show), and providing a transformed input signal indicative thereof ([0001]-[0002]), where the second data format is compatible with Bluetooth (not show).

Background of the invention fails to specifically disclose receiving outgoing data at the wireless transceiver in a first data format compatible with the network and transforming the outgoing data to a second data format compatible with the wireless communication channel; and receiving incoming data at the wireless transceiver in the second data format and transforming the incoming data to the first data format, and the second data format is compatible.

However, Colson teaches receiving outgoing data (col.7, lines 33-41) at the wireless transceiver (fig.2, items 204, 201, 202, 203 connected to item 220) in a first data format compatible with the network (fig.2-3, col.7, line 30 to col.8, line 14) and

transforming the outgoing data to a second data format compatible with the wireless communication channel (items 260b and 270b); and receiving incoming data at the wireless transceiver in the second data format (col.7, line 41 to col.8, line 14) and transforming the incoming data to the first data format (col.7, line 41 to col.8, line 14), and the second data format is compatible (col.7, line 41 to col.8, line 14).

Therefore, It would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the teaching of Colson to Background of the invention to provides a technique for effectively demultiplexing multi-modal document content, each capable of handling a different media type.

Background of the invention and Colson fail to specifically disclose Bluetooth data.

However, Bridgelall teaches Bluetooth data ([0029]).

Therefore, It would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the teaching of Bridgelall to Background of the invention and Colson to improve the transmission data in communication wireless system.

Regarding claim 12, Background of the invention teaches a motor vehicle Media Oriented Systems Transport data communication network that communicates over a wireless communication channel with a wireless device, comprising:

a ring bus ([0002] ring structure);

a plurality of multimedia units connected to the ring bus ([0002]); and

means for receiving outgoing data from the ring bus in a first data format

compatible (not show) with the Media Oriented Systems Transport network ([0001]-[0002]), and for transforming the outgoing data to a second data format compatible with a wireless communication channel (not show) and for transmitting a transformed output data signal indicative thereof over the wireless communication standard ([0001]-[0002]), where the transformed output data signal ([0001]) is formatted as Bluetooth data (not show).

Background of the invention fails to specifically disclose means for receiving outgoing data from the ring bus in a first data format compatible with network, and for transforming the outgoing data to a second data format compatible with a wireless communication channel.

However, Colson teaches means for receiving outgoing data from the ring bus (fig.2, items 204, 201, 202, 203 connected to item 220) in a first data format compatible with network (fig.2-3, col.7, line 30 to col.8, line 14), and for transforming the outgoing data to a second data format compatible with a wireless communication channel (fig.2-3, col.7, line 30 to col.8, line 14).

Therefore, It would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the teaching of Colson to Background of the invention to provides a technique for effectively demultiplexing multi-modal document content, each capable of handling a different media type.

Background of the invention and Colson fail to specifically disclose formatted as Bluetooth data.

However, Bridgelall teaches formatted as Bluetooth data ([0029]).

Therefore, It would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the teaching of Bridgelall to Background of the invention and Colson to improve the transmission data in communication wireless system.

Regarding claim 16, Background of the invention teaches motor vehicle Media Oriented System Transport data communication network, comprising:

a ring bus ([0002] ring structure);

a plurality of multimedia units connected to the ring bus ([0002] **a ring structure that communicably links several units that serve as data sources or data sinks. Such network devices include units such as for example, a radio receiver, a television receiver, a monitor, a CD player, a CD changer, a DVD player, a DVD changer, a cassette recorder, active loudspeakers, a navigation system, a car telephone, a wireless telephone, and operating and control units, among others**);

and

a wireless transceiver connected to said ring bus (not show), wherein said wireless transceiver receives outgoing data from said ring bus and transforms said outgoing data to a wireless data format and transmits the transformed data (not show), and receives incoming data and transforms said incoming data (not show) and provides transformed incoming data indicative thereof to said ring bus ([0001]-[0002]).

Background of the invention fails to specifically disclose a wireless transceiver connected to said ring bus, wherein said wireless transceiver receives outgoing data from said ring bus and transforms said outgoing data to a wireless data format and transmits the transformed data, and receives incoming data and transforms said incoming data.

However, Colson teaches a wireless transceiver (fig.2, demultiplexer component 220) connected to said ring bus (fig.2, items 204, 201, 202, 203 connected to demultiplexer component 220), wherein said wireless transceiver receives outgoing data from said ring bus (fig.2), and transforms said outgoing data to a wireless data format (col.7, lines 33-41) and transmits the transformed data (col.7, lines 33-41), and receives incoming data (col.7, line 41 to col.8, line 14) and transforms said incoming data (col.7, line 41 to col.8, line 14).

Therefore, It would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the teaching of Colson to Background of the invention to provides a technique for effectively demultiplexing multi-modal document content, each capable of handling a different media type.

Regarding claim 17, Background of the invention, Colson, and Bridgelall further teach the Media Oriented System Transport data communication network of claim 2, where the plurality of multimedia units includes a DVD player (see Background of the invention, [0002]).

Regarding claim 18, Background of the invention, Colson, and Bridgelall further teach the Media Oriented System Transport data communication network of claim 2, where the plurality of multimedia units includes an audio player (see Background of the invention, [0002]).

Regarding claim 19, Background of the invention, Colson, and Bridgelall further teach the Media Oriented System Transport data communication network of claim 2, where the plurality of multimedia units includes a navigation system (see Background of the invention, [0002]).

Regarding claim 20, Background of the invention teaches a method of communicating over a wireless communication channel between a motor vehicle Media Oriented System Transport network having a transceiver and a device ([0001]-[0002]), comprising:

receiving outgoing data at the wireless transceiver in a first data format compatible with the network and transforming the outgoing data to a second data format compatible with the wireless communication channel (not show) and providing a transformed output signal indicative thereof ([0001] transmission of data between a MOST network and a wireless device); and transmitting said transformed output signal over the wireless communication standard ([0001] transmission of data between a MOST network and a wireless device), receiving incoming data at the wireless transceiver in the second data format and transforming the incoming data to the first

Art Unit: 2617

data format (not show), and providing a transformed input signal indicative thereof ([0001] transmission of data between a MOST network and a wireless device).

Background of the invention fails to specifically disclose receiving outgoing data at the wireless transceiver in a first data format compatible with the network and transforming the outgoing data to a second data format compatible with the wireless communication channel; and receiving incoming data at the wireless transceiver in the second data format and transforming the incoming data to the first data format.

However, Colson teaches receiving outgoing data (col.7, lines 33-41) at the wireless transceiver (fig.2, items 204, 201, 202, 203 connected to item 220) in a first data format compatible with the network (fig.2-3, col.7, line 30 to col.8, line 14) and transforming the outgoing data to a second data format compatible with the wireless communication channel (fig.2); and receiving incoming data at the wireless transceiver in the second data format (col.7, line 41 to col.8, line 14) and transforming the incoming data to the first data format (col.7, line 41 to col.8, line 14).

Therefore, It would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the teaching of Colson to Background of the invention to provides a technique for effectively demultiplexing multi-modal document content, each capable of handling a different media type.

Regarding claim 21, Background of the invention teaches a motor vehicle Media Oriented System Transport data communication network that communicates over a wireless communication channel with a device, comprising:

a ring bus ([0002] ring structure);

a plurality of multimedia units connected to the ring bus ([0002] **a ring structure that communicably links several units that serve as data sources or data sinks. Such network devices include units such as for example, a radio receiver, a television receiver, a monitor, a CD player, a CD changer, a DVD player, a DVD changer, a cassette recorder, active loudspeakers, a navigation system, a car telephone, a wireless telephone, and operating and control units, among others;** and

receiving outgoing data from said ring bus in a first data format compatible (not show) with the Media Oriented System Transport network ([0001]), and for transforming said outgoing data to a second data format compatible with a wireless communication channel (not show) and for transmitting a transformed output data signal indicative thereof over the wireless communication standard ([0001]-[0002]).

Background of the invention fails to specifically disclose receiving outgoing data from said ring bus in a first data format compatible with network, and for transforming said outgoing data to a second data format compatible with a wireless communication channel.

However, Colson teaches receiving outgoing data from said ring bus (col.7, lines 33-41) in a first data format compatible network (col.7, lines 33-41), and for transforming said outgoing data to a second data format compatible with a wireless communication channel (fig.2, items 260b and 270b).

Therefore, It would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the teaching of Colson to the teaching of Background of the invention to provides a technique for effectively demultiplexing multi-modal document content, each capable of handling a different media type.

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to KHAI M. NGUYEN whose telephone number is (571)272-7923. The examiner can normally be reached on 8:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vincent P. Harper can be reached on 571.272.7605. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/VINCENT P. HARPER/
Supervisory Patent Examiner, Art Unit 2617

Application/Control Number: 10/005,208

Page 14

Art Unit: 2617

/Khai M Nguyen/

Examiner, Art Unit 2617

5/8/2009